

NTEP - "Legal for Trade"

PORTION SCALE - NTEP APPROVED

This low profile, compact scale is constructed of ABS housing, has a stainless steel pan, and has overload/underload protection against positive and negative forces. The 1" LCD display can be seen from a wide viewing range and reads in grams and pounds. Features include auto zero tracking, automatic power save, and low battery indicator. Pan sizes: 11.8" W x 9.6" D, or all stainless steel pan 13.7" W x 11.1" D. Dimensions: 11.8" W x 4.6" H x 13.2" D, or with stainless steel pan 13.3" W x 5.3" H x 13.2" D. Power supply: Built-in rechargeable battery or external power adapter (included). Shipping weight 15 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A170	AM-3000	6 lb x 0.002 lb (3000 g x 1.0 g)	\$ 300.00
A171	AM-6000	12 lb x 0.005 lb (6000 g x 2.0 g)	300.00
A172	AM-15K	30 lb x 0.01 lb (15 kg x 0.005 kg)	300.00
A173	AM-30K	60 lb x 0.02 lb (30 kg x 0.01 kg)	300.00
	<b>Options</b>		
A110-1		Secondary Rear Panel Mount Display (must be installed at factory)	40.00
A030-1		EL Backlight (must be installed at factory)	60.00
A130-2		External Power Adapter, 120 VAC 9VDC	28.00
A170-1		Stainless Steel Pan	20.00

OHAUS FOOD PORTIONING SCALE

This Food Portioning Scale is a rugged, multi-use portioning scale designed for use in food service applications. Features include an all stainless steel construction, stable weight display within 2 seconds, and a high precision loadcell. Multiple weighing units include percent weighing, lb, decimal and fractional oz, kg, g, and lb:oz. Backlit blue LCD display. Pan size: 8.2" x 8.2". Power supply: Internal rechargeable battery or AC power. Shipping weight 11 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
H460	FD3	6 lb x 0.001 lb (3000 g x 0.5 g)	\$ 395.00
H461	FD6	15 lb x 0.002 lb (6000 g x 1 g)	395.00
H462	FD15	30 lb x 0.005 lb (15000 g x 2 g)	395.00



**PORTION CONTROL SCALE**

This Portion Control Scale has plenty of features that make it easy to use. Weighs in lb, kg, oz. It is made of white ABS plastic and has a stainless steel platform. It will give you 48 hours continuous use with a 9 Volt battery (not included). The large LCD display with backlight is easy to read. AC Power adapter included. Platform size: 7-7/8" x 7". Approximate Ship Weight 6 lbs. Warranty 1 year.

ORDER NO.	PART NO.	DESCRIPTION	PRICE
H470	PS-5	10 lb x 0.01 lb (5 kg x 0.005 kg) (160 oz x 0.2 oz)	\$ 122.50



**ELECTRONIC HANGING SCALE**

This Digital Hanging Scale is NTEP approved (Legal for Trade) and easy to use. Features include Auto Cal, Auto Off, Hold and a low battery warning light. Digital display is backlit. It runs on 4 "D" batteries (not included) or an AC adapter (not included). Approximate Ship Weight 5 lbs. Warranty 1 year.

ORDER NO.	PART NO.	DESCRIPTION	PRICE
H600	HS-6	6 lb x 0.005 lb (2.7 kg x 2 g)	\$ 266.00
H601	HS-15	15 lb x 0.01 lb (6.8 kg x 5 g)	266.00
H602	HS-30	30 lb x 0.02 lb (13.6 kg x 0.01 kg)	266.00
H603	HS-60	60 lb x 0.05 lb (27 kg x 0.02 kg) NON-NTEP	245.00
<b>Accessories</b>			
H600-1		Hanging Stainless Pan and Support	88.00
H600-2		AC Adapter (300Ma, 500Ma, 1000Ma)	32.00
H600-3		Rechargeable Battery	40.00
H600-4		Galvanized Scoop with chain, 16.5" x 14" x 7.5"	



**PRICE COMPUTING SCALE**

This Price Computing Scale is ideal for any point-of-sale application. The 15 Price Look UP (PLU) preset keys and 30 PLU memories provide high transaction rates and simple operation. Its large capacity and small division size allows you to handle a wide range of commodities with high accuracy. The dual fluorescent displays include: Weight - 5 digits, Unit Price - 5 digits, Total Price - 6 digits. Character size: 0.6" x 0.3". Platform size: 13.8" Wide x 9.7" Deep (removable). (COC #98-205) Approximate Ship Weight 21 lbs. Warranty 1 year.

ORDER NO.	PART NO.	DESCRIPTION	PRICE
H501	R-220	40 lb x 0.01 lb	\$ 520.00
H502	R-220kg	20 kg x 0.005 kg	520.00

**PRICE COMPUTING SCALE**

This Price Computing scale gives you outstanding performance at a competitive price. It is available in pounds or metric. The SF model stores weight/prices for up to 30 items, and the SG model stores up to 12 items. Platform size: 11.81" Wide x 11.02" Deep. AC Adapter or Battery Operation. NTEP Approved COC#99-076). Approximate Ship Weight 12 lbs. Warranty 1 year.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
With AC Mains and VFD Tower Display			
H440	SF-6KA	15 lb x 0.005 lb (6kg x 2 g)	\$ 495.00
H441	SF-15KA	30 lb x .1 lb (15 kg x 5 g)	495.00
H442	SF-30KA	60 lb x .02 lb (30 kg x 10 g)	495.00
With AC Adapter and LCD Tower Display			
H443	SF-6KB	15 lb x .005 lb (6 kg x 2 g)	455.00
H444	SF-15KB	30 lb x .01 lb (15 kg x 5 g)	455.00
H445	SF-30KB	60 lb x .02 lb (30 kg x 10 g)	455.00
With AC Adapter and VFD Tower Display			
H446	SF-6KC	15 lb x 0.005 lb (6kg x 2 g)	495.00
H447	SF-15KC	30 lb x .1 lb (15 kg x 5 g)	495.00
H448	SF-30KC	60 lb x .02 lb (30 kg x 10 g)	495.00
LCD Table Top Display, AC Adapter			
H449	SG-5KA	15 lb x .005 lb (6 kg x 2 g)	455.00
H450	SG-15KA	30 lb x .1 lb (15 kg x 5 g)	455.00
H451	SG-30KA	60 lb x .02 lb (30 kg x 10 g)	455.00
Options			
H440-1	SFG-03	RS-232C Interface for Printer and PC Connection	85.00
H440-2	SF-10	Stainless Steel Weighing Pan for SF Series	25.00
H440-3	SG-11	Stainless Steel weighing Pan for SG Series	25.00
H440-4	07-SF/SG	In-Use Covers (5 per pack)	95.00

**BENCH SCALE - NTEP**

This scale is a rugged, accurate, and portable bench scale which makes it ideal for shipping applications. It has a stainless steel pan and ABS housing. It reads in lb, kg, and lb:oz. The 1" wide LCD display is visible from a wide viewing area. Pan size: 11" W x 13" D x 4.13" H. Power supply: Built-in rechargeable battery or external power adaptor (included). NTEP approved. Shipping weight 17 lbs. Warranty 12 months.



ORDER NO.	PART NO.	DESCRIPTION	PRICE
A413	APM-15	30 lb x 0.01 lb (15 kg x 0.005 kg)	\$ 345.00
A414	APM-30	60 lb x 0.02 lb (30 kg x 0.01 kg)	385.00
A415	APM-60	150 lb x 0.05 lb (60 kg x 0.02 kg)	405.00
A416	APM-150	300 lb x 0.1 lb (150 kg x 0.05 kg)	415.00
Options			
A413-1		Stainless Steel Pillar Option	40.00
A130-2		External Power Adapter, 120 VAC 9VDC	28.00
A030-1		EI Backlight (must be installed at factory)	60.00
A413-2		Oxyweigher Transport Kit (must be installed at factory)	100.00



**OHAUS PORTABLE BENCH SCALE**

This industrial bench scale is both durable and economical. These portable "plug and play" scales are ready to go to work for you right out of the box. RS-232 bi-directional interface standard. Rugged steel construction. Power supply: AC adapter (included). Shipping weight 30 TO 70 lbs. Warranty 24 months.

ORDER NO.	PART NO.	DESCRIPTION	PRICE
H433	CH15R11	30 lbs x 0.005 lbs	\$ 699.00
H434	CH30R11	60 lbs x 0.01 lbs	699.00
H435	CH60R11	120 lbs x 0.02 lbs	699.00
H436	CH100R11	200 lbs x 0.05 lbs	829.00
H437	CH150R11	300 lbs x 0.05 lbs	879.00
H438	CH300R11	600 x 0.1 lbs	989.00

**BENCH SCALE - NTEP APPROVED**



The A470 Series Bench and Platform Scales have a stainless steel platform and cast aluminum base which makes them ideal for harsh industrial operations. The digital motion filtering allows you to weigh animals and will compensate for harsh environmental conditions. The 2" wide-angle LCD display can be seen from a wide viewing range. Divisions: 3000. Platform size: 13" Wide x 17.7" Deep x 3.5" High. Scale Dimensions: 13" W x 20.7" D x 28.3" H. NTEP Approved (COC# 04-100). Power Supply: Built-in rechargeable battery or external power adapter (included.) Approximate Ship Weight 29 lbs. Warranty 1 year.

ORDER NO.	PART NO.	DESCRIPTION	PRICE
A470	UFM-B30	60 lb x 0.02 lb (30 kg x 0.01 kg)	\$ 595.00
A471	UFM-B60	150 l x 0.05 lb (60 kg x 0.02 kg)	595.00
A472	UFM-B150	300 lb x 0.1 lb (150 kg x 0.05 kg)	595.00
<b>OPTIONS</b>			
A462-1		RS232C Interface (must be installed at factory)	110.00
A030-1		EL Backlight (must be installed at factory)	60.00

**BENCH SCALE - NTEP APPROVED**



Same scale as above except it has 6000 divisions and a platform size of 16.5" W x 20.5" D x 4.72" H. Scale dimensions: 16.5" W x 23.5" D x 33.9" H. (COC# 04-100). Approximate Ship Weight 48 lbs. Warranty 1 year.

ORDER NO.	PART NO.	DESCRIPTION	PRICE
A475	UFM-F60	120 lb x 0.02 lb (60 kg x 0.01 kg)	\$ 785.00
A476	UFM-F120	250 lb x 0.05 lb (120 kg x 0.02 kg)	785.00
A477	UFM-F300	600 lb x 0.1 lb (300 kg x 0.05 kg)	785.00
<b>OPTIONS</b>			
A462-1		RS232C Interface (must be installed at factory)	110.00
A030-1		EL Backlight (must be installed at factory)	60.00
A435-1		Wheel Kit - 3" - 300 lb Capacity each Wheel	133.00

**BENCH SCALE - NTEP APPROVED**

Same scale as above except it has a larger capacity and a platform size of 19.7" W x 23.6" D x 4.72" H. Divisions: 6000. Scale dimensions: 19.7" W x 25.5" D x 33.9" H. (COC# 04-100). Approximate Ship Weight 62 lbs. Warranty 1 year.

ORDER NO.	PART NO.	DESCRIPTION	PRICE
A495	UFM-L120	250 lb x 0.05 lb (120 kg x 0.02 kg)	\$ 939.00
A496	UFM-L300	600 lb x 0.1 lb (300 kg x 0.05 kg)	939.00
A497	UFM-L600	1200 lb x 0.2 lg (600 kg x 0.1 kg)	939.00
<b>OPTIONS</b>			
A462-1		RS232C Interface (must be installed at factory)	110.00
A030-1		EI Backlight (must be installed at factory)	60.00
A450-1		Wheel Kit - 5" - 450 lb Capacity each Wheel	200.00



**PENN SCALE BENCH SHIPPING SCALE - NTEP APPROVED**

Whether as a stand-alone scale or part of a weight processing system, this bench scale has what it takes to provide accurate weighing year after year. Heavy duty cast construction. Weight displayed in two units of measure. Remote display can be Wall/Desk adjustable clamshell mount, adjustable mini tower (12 - 15-1/2") or flush mount with stainless steel bezel. UPS Online 6.0 and shipping manifest systems compatible. Bi-directional RS-232 standard. Platform Size: 8" x 8" or 12" x 14". Optional Battery/AC power for portability. Shipping weight 21 lbs. Warranty 12 months.

ORDER NO.	PART NO.	DESCRIPTION	PRICE
H016	7300+HD	2 lb x 0.002 lb (907.2 g x 0.1 g)	\$ 725.00
H017	7300+HD	5 lb x 0.005 lb (2268 g x 0.5 g)	725.00
H018	7300+HD	10 lb x 0.001 lb (4536 g x 0.5 g)	725.00
H019	7300+HD	20 lb x 0.002 lb (9.072 kg x 0.001 kg)	725.00
H020	7300+HD	50 lb x 0.005 lb (22.68 kg x 0.005 kg)	725.00
H021	7300+HD	100 lb x 0.01 lg (45.36 kg x 0.005 kg)	725.00
H022	7300+HD	150 lb x 0.02 (68.04 kg x 0.01 kg)	725.00
H023	7300+HD	200 lb x 0.02 lb (90.72 kg x 0.01 kg)	725.00
<b>Options:</b>			
H016-1		Battery/AC Operation (self-contained)	195.00
H016-2		Time/Date with battery back-up	50.00



Wall/Desk Remote Display




**MAILING AND SHIPPING SCALE - NTEP APPROVED**

The PC series Digital Bench Scale is an NTEP APPROVED legal for trade compact scale. Features include a removable stainless steel platter and adjustable feet for leveling. This scale uses full duplex RS-232 serial port, WLAN, or Bluetooth format to interface with personal computers or remote displays. It can transmit on demand or continuously in several popular UPS manifest data protocols. It works with UPS Worldship, Mail Order Manager, and Starship shipping software. Display is a 6 character, 7-segment green LED. Platform Size: 13" x 13" or 10" x 13". Power: AC Adapter, 12 Vdc, 500mA. COC# 96-136A1. Shipping weight 27 lbs. Warranty 12 months.



PC-150



PC-30/70 WITH REMOTE DISPLAY



PC-30/70 WITH TOWER MOUNT

ORDER NO.	PART NO.	DESCRIPTION	PRICE
H030	PC-150	150 lb x 0.5 lb / 0-5 lb x 0.01 lb / 5-70 lb x 0.02 lb / 70-150 lb x 0.05 lb, Platter Size: 13" x 13"	\$ 595.00
H031	PC-70	70 lb x 0.2 lb / 0-5 lb x 0.005 lb / 5-70 lb x 0.-2 lb, Platter Size: 10" x 13"	595.00
H032	PC-30	30 lb x 0.2 lb / 0-5 lb x 0.005 lb / 5-30 lb x 0.02 lb, Platter Size: 10" x 13"	495.00
Options:			
H030-1	TBT1313	Roller Ball Top, 10" x 13"	250.00
H030-2	NMC-1	Null Modem Cable for PC	19.00
H030-3		Roller Ball Top, 13" x 13"	275.00
H030-4		18" Stainless Steel Column and Indicator Bracket	29.00
H030-5		31" Stainless Steel Column and Indicator Bracket	39.00

**SHIPPING SCALE - NTEP APPROVED**

The SRP-300 multi-purpose NTEP approved bench scale is designed for use in today's rugged industrial applications. It is constructed utilizing a heavy-duty carbon steel understructure allowing for maximum overload protection, a sealed aluminum lead cell, and a heavy gauge stainless steel weigh pan. Includes six feet of cable from the base to the indicator. The scale can transmit on demand or continuously in several popular UPS manifest data protocols. You can use either full duplex RS-232 serial port, WLAN, or Bluetooth format to interface with computers or remote displays. Display is a 7-digit blue/green VFD. Platform Size: 18" x 18" stainless steel. Power: AC Adapter, 12 Vdc, 800mA. COC# 96-136A1. Shipping weight 60 lbs. Warranty 12 months.



Shown with Optional Roller Ball top



ORDER NO.	PART NO.	DESCRIPTION	PRICE
H040	SRP-300	300 lbs x 0.1 lbs	\$ 895.00
Options			
H040-1		18" Stainless Steel column and Indicator Bracket	29.00
H040-2		31" Stainless Steel column and Indicator Bracket	39.00
H040-3		18" x 18" Roller Top	325.00
H040-4		Null Modem Cable for PC	19.00